Refine Search

Search Results -

Terms	Documents
(370/351 |370/431 |370/464 |370/906 |370/910 |710/240 |710/74 |710/300 |710/316 |710/3 |710/36 |710/38 |710/314 |710/315 |711/151 |711/114 |711/154 |711/203 |714/5 |714/6 |714/43).ccls.	14741

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L1

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: **Tuesday, August 01, 2006** <u>Printable Copy</u> <u>Create Case</u>

Set Name	Query	Hit Count	S Na res s
side by side			
	DB=PGPB,USPT,USOC; PLUR=YES; OP=OR		
L1	710/240,74,300,316,3,36,38,314,315;711/151,114,154,203;714/5,6,43;370/351,431,464,906,910.ccls.	14741	L

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1 and L2	4

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L3

[Refine Search]

[Recall Text] [Clear]   [Interrupt]

Search History

DATE: Tuesday, August 01, 2006   Printable Copy   Create Case

Set Name	Query	Hit Count	S Na res s
	DB=PGPB,USPT,USOC; PLUR=YES; OP=OR		
L3	l1 and L2	4	L
L2	(storage or disk or disc) same (controller near5 redundant) same "point-to-point" same serial$3	10	L
L1	710/240,74,300,316,3,36,38,314,315;711/151,114,154,203;714/5,6,43;370/351,431,464,906,910.ccls.	14741	L

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(storage or disk or disc) same (controller near5 redundant) same "point-to-point" same serial	10

Database:
```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Search: L1

[Refine Search]

[Recall Text]   [Clear]   [Interrupt]

Search History

DATE: Tuesday, August 01, 2006   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC; PLUR=YES; OP=OR			
L1	(storage or disk or disc) same (controller near5 redundant) same "point-to-point" same serial	10	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(storage or disk or disc) same (controller near5 redundant) same "point-to-point"	20

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Tuesday, August 01, 2006   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC; PLUR=YES; OP=OR			
L4	(storage or disk or disc) same (controller near5 redundant) same "point-to-point"	20	L4
L3	(storage or disk or disc) same (controller near5 redundant) same "point-to-point" same serial$3	10	L3
DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L2	(storage or disk or disc) same (controller near5 redundant) same "point-to-point" same serial	0	L2
DB=PGPB,USPT,USOC; PLUR=YES; OP=OR			
L1	(storage or disk or disc) same (controller near5 redundant) same "point-to-point" same serial	10	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(storage or disk or disc) same (controller near5 redundant) same "point-to-point" same serial	0

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L2

[Refine Search]

[Recall Text] [Clear] [Interrupt]

Search History

DATE: Tuesday, August 01, 2006   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L2	(storage or disk or disc) same (controller near5 redundant) same "point-to-point" same serial	0	L2
DB=PGPB,USPT,USOC; PLUR=YES; OP=OR			
L1	(storage or disk or disc) same (controller near5 redundant) same "point-to-point" same serial	10	L1

END OF SEARCH HISTORY

EAST - [Untitled1:1]

File View Edit Tools Window Help

- Drafts
- Pending
- **Active**
  - L1: (3) (storage or dis
- Failed
- Saved
- Favorites
- Tagged (0)
- UDC
- Queue
- Trash

Search | List | Browse | Queue | Clear

DBs | USPAT

☑ Plurals

Default operator | OR ▼

☑ Highlight all hit terms initially

BRS form | IS&R form | Image | Text | HTML

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error Definit	Er
1	BRS	L1	3	(storage or disk or disc) same (controlle	USPA T	2006/08/0 1 15:49			

Start 🖉 🖉 🖾 " EAST - [...

EAST - [Untitled1:1]

File View Edit Tools Window Help

- Drafts
- Pending
- Active
  - L1: (3) (storage or di:
- Failed
- Saved
- Favorites
- Tagged (0)
- UDC
- Queue
- Trash

Search | List | Browse | Queue | Clear |

DBs USPAT

Default operator: OR ▼

☑ Plurals
☑ Highlight all hit terms initially

(storage or disk or disc) same (controller near10
redundant) same "point-to-point" same serial$3

BRS form | IS&R form | Image | Text | HTML

	U	1	Document ID	Issue Dat	Pages	Title	Current OR	Current XR
1	☐	☐	US H001920 H	20001107	18	System and method for processing wireless voi	455/403	
2	☐	☐	US H001882 H	20001003	18	System and method for transferring data to re	370/503	
3	☐	☐	US H001802 H	19990907	15	System and method for automatically provision	379/243	

Start | EAST - [...

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "(((storage or disk or disc)<in>metadata) <and> (controller <in>metadata))<..."

Your search matched 3 of 1382205 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

✉ e-mail 🖨 printer friendly

» Search Options

View Session History

New Search   \

Modify Search

(((storage or disk or disc)<in>metadata) <and> (controller <in>metadata))<and> ([Search »]

☐ Check to search only within this results set

Display Format: ● Citation   ○ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

[View selected items]   **Select All Deselect All**

☐ 1. **Design and implementation of a Macintosh-CAMAC based system for neutral beam diagnostics**
Wight, J.; Colleraine, A.P.; Hong, R.M.; Kim, J.; Lee, R.L.; Phillips, J.C.;
Fusion Engineering, 1989. Proceedings., IEEE Thirteenth Symposium on
2-6 Oct. 1989 Page(s):687 - 690 vol.1
Digital Object Identifier 10.1109/FUSION.1989.102312

AbstractPlus | Full Text: PDF(344 KB)   IEEE CNF
Rights and Permissions

☐ 2. **Implementation of EIDE disk array system for mass data backup**
Kun Gao; Jing Pei; Haizheng Xu; Longfa Pan;
Aerospace and Electronic Systems Magazine, IEEE
Volume 19, Issue 11, Nov. 2004 Page(s):24 - 29
Digital Object Identifier 10.1109/MAES.2004.1365662

AbstractPlus | References | Full Text: PDF(413 KB)   IEEE JNL
Rights and Permissions

☐ 3. **An efficient BIST method for small buffers**
Jone, W.B.; Huang, D.C.; Wu, S.C.; Lee, K.J.;
VLSI Test Symposium, 1999. Proceedings. 17th IEEE
25-29 April 1999 Page(s):246 - 251
Digital Object Identifier 10.1109/VTEST.1999.766672

AbstractPlus | Full Text: PDF(1216 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privacy & Security   IEEE.org

© Copyright 2006 IEEE – All Rights Reserved

Indexed by
Inspec